



Accessories



I0200RG-00-000

Rescue Mate™ Rescue Bags

- » 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope
- » Rope supports up to 1,800 lbs. of tensile pressure
- » Orange bag with quick-release carrying strap
- » 1" reflective tape around the bag for visibility



ITEM #	ORDER #	DESCRIPTION	UOM
I0200RG-00-000	623903621	Bag with 50 ft. of Rope	EA
I0210RG-00-000	623903631	Bag with 70 ft. of Rope	EA



I0230RG-00-000

Ring Buoy Type IV and Rope Bag

- » 30" (77 cm) industrial-grade ring buoy
- » Constructed of high-impact, low-density orange polyethylene
- » Replaceable encircling rope for added gripping
- » I030 Type IV Ring Buoy - USCG Approval



I0300RG-00-REF



ITEM #	ORDER #	DESCRIPTION	UOM
I0300RG-00-REF	623903861	30 in. Ring Buoy	EA
90 ft. of 3/8" Polypropylene Floating Rope and Bag, Attaches to Ring Buoy			
I0230RG-00-000	623903781	Rope and Bag	EA

Flotation Vests/Jackets



2000013834

Force™ II Life Vests

- » US Coast Guard-approved, USCG Type V Vest
- » Aquafoam™ flotation foam retains buoyancy, even when punctured
- » 3M™ Scotchlite™ SOLAS-grade reflective strips on the front and back
- » Compatible with most fall protection harnesses
- » Self-extinguishing construction reduces fire risks
- » 17.5 lbs. (78 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000013834	623900431	Size: Universal	EA
2000015183	623905231	Size: Oversize	EA



3000003509

Inflatable Work Vest

- » USCG Approved Work Vest
- » Puncture resistant outer shell, tri-fold for easy repacking
- » 31.5 sq in. of reflective tape
- » Fall protection harness opening in back
- » Automatic Inflator with clear viewing window
- » Provides a minimum of 35 lbs. of buoyancy when fully inflated

ITEM #	ORDER #	DESCRIPTION	UOM
3000003509	623935091	Size: Universal	EA



Flotation Vests/Jackets



2000011404

First Mate™ Life Vests

- » US Coast Guard-approved, USCG Type III vest
- » Four hook-and-loop pockets and two sturdy D-rings to hang gear
- » Contoured design and side-adjustment tabs
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 panel patches
- » Minimum 15.5 lbs. (69 Newtons) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000011404	623900291	Size Medium	EA
2000011405	623900301	Size XLarge	EA
2000011406	623900311	Size 2XLarge	EA
2000011407	623900321	Size 3XLarge	EA
2000011408	623900331	Size 4XLarge	EA



I416ORG-04-000F

Deck Hand II™ Life Vests

- » Breathable marine mesh lining wicks away moisture
- » 3M™ Scotchlite™ SOLAS-grade reflective strips
- » Heavy-duty encircling belt, rustproof Vision® Zipper and chest pocket
- » 15.5 lbs. (69 Newtons) of buoyancy
- » US Coast Guard-approved, 29-02 Type III PFD

ITEM #	ORDER #	DESCRIPTION	UOM
I416ORG-03-000F	623900111	Size Medium	EA
I416ORG-04-000F	623900121	Size Large	EA
I416ORG-05-000F	623900131	Size XLarge	EA
I416ORG-06-000F	623900141	Size 2XLarge	EA
I416ORG-07-000F	623900151	Size 3XLarge	EA
I416ORG-08-000F	623900161	Size 4XLarge-7XLarge	EA



2000011389

General Purpose Vests

- » US Coast Guard-approved, USCG Type III Vest
- » Two encircling body belts and one chest strap
- » Durable Crosstech® flotation foam
- » 200 Denier nylon oxford outershell
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels

ITEM #	ORDER #	DESCRIPTION	UOM
2000011389	623900281	Size: Universal	EA



I405ORG-00-000F

Welders Vest

- » US Coast Guard-approved, USCG Type III vest
- » Fiberglass shell suitable for marine welding
- » Breathable marine mesh lining wicks away moisture
- » Oversized armholes, adjustable sides and rustproof Vision® zipper
- » Aquafoam™ Flotation Foam retains buoyancy even when punctured
- » 15.5 lbs. (69 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
I405ORG-00-000F	623900091	Size: Universal	EA

Flotation Vests/Jackets



2000011434

I624 Deck Hand™ Vests

- » US Coast Guard-approved Type III
- » Tough nylon oxford outershell and lightweight Crosstech® Flotation Foam
- » Breathable mesh lining wicks away excess moisture
- » 3M™ Scotchlite™ SOLAS-grade reflective strips improve visibility
- » Heavy-duty encircling belt with side adjustments and a rustproof Vision® zipper
- » 15.5 lbs. (69 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000011433	623900631	Size Medium	EA
2000011434	623900641	Size Large	EA
2000011435	623900651	Size XLarge	EA
2000011436	623900661	Size 2XLarge	EA
2000011437	623900671	Size 3XLarge	EA



2000011417

I426 Search and Rescue (SAR) Vests

- » US Coast Guard-approved life jacket - Type III
- » Two 1.5" encircling belts, adjustable chest strap and zippered front
- » Two pockets with hook-and-loop tape closures
- » Rolled, stand-up collar
- » Minimum 15.5 lbs. (69 Newtons) buoyancy
- » 66 sq. in. of 3M™ Scotchlite™ SOLAS grade 6755 reflective material

ITEM #	ORDER #	DESCRIPTION	UOM
2000011416	623900571	Size Medium	EA
2000011417	623900581	Size Large	EA
2000011418	623900591	Size XLarge	EA
2000011419	623900601	Size 2XLarge	EA
2000011420	623900611	Size 3XLarge	EA



2000004522

Deluxe Merchant Mate™ II Life Vest

- » US Coast Guard-approved, USCG Type I vest
- » Foam-filled collar, two chest adjusters change the flotation angle to turn most unconscious wearers face up
- » Back panel accommodates most fall protection harnesses
- » 3M™ Scotchlite™ SOLAS-grade reflective strips
- » Shoulder mount flashlight patch, pocket and included USCG-approved whistle
- » 22 lbs. (98 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004522	623900051	Universal Size	EA



2000004520

Work Master™ Vests

- » US Coast Guard-approved Type III/V performance
- » Closed-cell foam, marine mesh liner and hinged back
- » Body belt with strap tunnels, quick-adjustment slides and easy-snap buckles
- » Flotation collar keeps swimmer's head able to look for help
- » 62 sq. in. (400 sq. cm) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- » Durable webbed 1" (2.54 cm) straps, nylon shell and PVC flotation foam
- » 17.5 lbs. (78 Newton) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004520	623900401	Size: Universal	EA
2000004521	623900411	Size: Oversize	EA



Flotation Vests/Jackets



Work Zone Gear™ Life Vests

- » US Coast Guard-approved Type III
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6187 on panels
- » Crosstech® flotation foam and polyester outer shell construction
- » Two body straps, zippered front for fit
- » Large arm holes and low necklines
- » D-ring for gear, two pockets with hook-and-loop tape closures
- » Minimum 15.5 lbs. (69 Newtons) buoyancy



2000011357



I424ORG-04-ANS



300001119

ITEM #	ORDER #	DESCRIPTION	UOM
--------	---------	-------------	-----

Orange Vest with 3M™ Scotchlite™ Reflective Shoulder Panels

2000011410	623900451	Size Medium	EA
2000011357	623900461	Size Large	EA
2000011412	623900471	Size XLarge	EA
2000011413	623900481	Size 2XLarge	EA
2000011414	623900491	Size 3XLarge	EA

ANSI Hi-Viz Orange Vest with HiViz Yellow 3M™ Scotchlite™ Reflective Stripping

I424ORG-03-ANS	623900511	Size Medium	EA
I424ORG-04-ANS	623900521	Size Large	EA
I424ORG-05-ANS	623900531	Size XLarge	EA
I424ORG-06-ANS	623900541	Size 2XLarge	EA
I424ORG-07-ANS	623900551	Size 3XLarge	EA

ANSI Hi-Viz Green Vest with Silver 3M™ Scotchlite™ Reflective Stripping

300001118	623911181	Size Medium	EA
300001119	623911191	Size Large	EA
300001120	623911201	Size XLarge	EA
300001121	623911221	Size 2XLarge	EA
300001123	623911231	Size 3XLarge	EA



Type III Search and Rescue (SAR) Vest

- » US Coast Guard-approved life jacket - Type III
- » Attached leg strap, emergency whistle and light loop for flashlight
- » Fleece-lined pockets heat cold fingers and zippered storage compartments for gear
- » 2-in.-wide (5.08 cm) adjustable belts and chest strap
- » 62 sq. in. (400 sq. cm) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- » 15.5-lb (69-Newton) buoyancy



4185ORG-04-000

ITEM #	ORDER #	DESCRIPTION	UOM
4185ORG-03-000	623902621	Orange, Size Small	EA
4185ORG-04-000	623902631	Orange, Size Large	EA
4185ORG-05-000	623902641	Orange, Size XLarge	EA
4185ORG-06-000	623902651	Orange, Size 2XLarge	EA
4185ORG-07-000	623902661	Orange, Size 3XLarge	EA
4185ORG-08-000	623902671	Orange, Size 4XLarge	EA



Flotation Vests/Jackets

Versatile™ Vests

- » US Coast Guard-approved Type III performance
- » Four hook-and-loop pockets, two D-rings and eyelets to attach equipment
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels for visibility
- » Durable nylon shell, marine mesh lining and PVC flotation foam construction
- » 15.5 lbs. (69 Newtons) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
I4650RG-03-000F	623900351	Size Medium	EA
I4650RG-04-000F	623900361	Size Large	EA
I4650RG-05-000F	623900371	Size XLarge	EA
I4650RG-06-000F	623900381	Size 2XLarge	EA
I4650RG-07-000F	623900391	Size 3XLarge	EA



I4650RG-04-000F



2000005011

1470 Ultra Commercial-Automatic Vests

- » US Coast Guard-approved life jacket - Type V/II (Auto) or Type V/III (Manual)
- » Auto inflation when submerged in water, manual inflation by pulling lanyard or by oral tube
- » Pocket for extra cylinder and D-ring for attaching gear
- » 3M™ Scotchlite™ SOLAS-grade 6755 reflective material
- » 33.7 lbs. of buoyancy, 33-gram CO₂ cylinder

ITEM #	ORDER #	DESCRIPTION	UOM
2000005011	623901671	Orange, Size: Universal	EA
2000005012	623901661	Black, Size: Universal	EA



2000004041

Ultra 4000 Convertible-Automatic Vests

- » US Coast Guard-approved - Type V/II (Auto) / Type V/III (Manual)
- » Convertible from automatic to manual-only inflation
- » 2-in. adjustable belt, D-ring and cylinder storage pocket
- » Reflective accents make you easier to see
- » Patented L-Tab™ webbing catch secures excess belt length
- » 33.7 lbs. of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004041	623901651	Black, Size: Universal	EA



Neoprene Cold Water Gloves

- » 2 mm neoprene gloves specially-glued and blind-stitched
- » Rugged shark skin palm

ITEM #	ORDER #	DESCRIPTION	UOM
5600BLK-03-000	623903661	Black, Size Medium	PR
5600BLK-04-000	623903671	Black, Size Large	PR
5600BLK-05-000	623903681	Black, Size XLarge	PR

Hand Protection



5600BLK-04-000

Accessories



2000027422

Ice Rescue Suit

- » Constructed of 5 mm flame retardant neoprene
- » 100% Closed Cell Neoprene
- » 3M Scotchlite Reflective Material SOLAS grade
- » Hood with offset zipper
- » Waterproof zipper
- » Five-Fingered Insulated gloves with textured palms
- » Stainless Steel Hardware on lifting harness
- » Adjustable Wrists w/wrist pockets for ice picks
- » Thick soled boot with tread for sure footing
- » Not intended for prolonged immersion, recommended for surface rescue only.

ITEM #	ORDER #	DESCRIPTION	UOM
2000027421	623905671	Size: Small, Up to 250 lbs. Max Height: 5 ft. 8 in. (173 cm)	EA
2000027422	623905681	Size: Universal, 110-330 lbs. Max Height: 6 ft. 3 in. (191 cm)	EA
2000027423	623901701	Size: Oversize, 220-330 lbs. Max Height: 6 ft. 9 in. (205 cm)	EA



Rapid Rescue Extreme™ Surface Dry Suits

- » Made with extra-breathable nylon laminated, waterproof fabric
- » Internal suspenders that keep the suit in place
- » Latex and neoprene seals around the neck and wrists keep moisture out and you dry
- » Reinforced Cordura® fabric knees and elbows offer added durability
- » Quick-access entry zipper and built-in waterproof socks make for rapid dressing
- » Reflective markings for added visibility
- » Padded polyurethane reinforced knees



1810-04-000

ITEM #	ORDER #	DESCRIPTION	UOM
2000023957	623905591	Red/Black, Size Medium	EA
2000023958	623905521	Red/Black, Size Large	EA
2000023959	623905341	Red/Black, Size XLarge	EA
2000023960	623905601	Red/Black, Size XXLarge	EA



2000008113

SOLAS Cold Water Immersion Suits

- » 5 mm, stretchable, flame-retardant neoprene for protection from hypothermia
- » Five-fingered integrated gloves, face shields and inflatable neck support
- » Immersion suit pocket and SOLAS-approved whistle
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 3150-A PS
- » Stainless steel lifting harness and buddy line with snap hook
- » Durable, non-slip soles
- » USCG Certificate of Approval, Module B with Head Support (Type S)

ITEM #	ORDER #	DESCRIPTION	UOM
2000008113	623981131	Red/Black, Size: Adult Universal	EA
2000008114	623981141	Red/Black, Size: Adult Oversize	EA